



FIRST<sup>®</sup> ENERGIZE<sup>SM</sup> presented by Qualcomm

firstinspires.org/robotics/ftc

2022-2023 FIRST® Tech Challenge

# Game Manual Part 2 – Traditional Events

# **Sponsor Thank You**

Thank you to our generous sponsors for your continued support of the *FIRST*<sup>®</sup> Tech Challenge!





	Revision History	
Revision	Date	Description
1	8/26/2022	International Program Delivery Partner release
1.1	8/31/2022	<ul> <li>Program Delivery Partner Release</li> <li>Figure 4.2.1 – New image with navigation images included on field perimeter walls</li> <li>Section 4.4.6 – Penalty points are added to the non-offending alliances score</li> <li>Appendix C         <ul> <li>Updated image C-6; Junction locations</li> <li>Added image C-11; dimensions for navigation images</li> </ul> </li> </ul>
1.2	9/10/2022	<ul> <li>Kickoff Release</li> <li>Section 4.3         <ul> <li>Edited definition of Penalty – points are added to the non-offending alliances score</li> <li>Updated Junction height measurements</li> </ul> <li>Section 4.5.3 – Added <gs1>c, exception to rule <g6></g6></gs1></li> </li></ul>
1.3	10/26/2022	<ul> <li>Section 4.2.2         <ul> <li>Autonomous description, 1. Changed in to defined term "In"</li> <li>Driver-Controlled description 1. Added "In Terminals"</li> </ul> </li> <li>Section 4.3 – Definition of Capping c) changed defined term "completely" to non-defined term</li> <li>Section 4.5.3         <ul> <li><ul> <li>GS8&gt; a &amp; c – replaced "Block" with "impede or obstruct"</li> <li><ul> <li><ul></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul>

# Contents

Contents	3
1.0 Introduction	5
What is <i>FIRST</i> <sup>®</sup> Tech Challenge?	5
2.0 Gracious Professionalism <sup>®</sup>	5
3.0 How to Use This Document	5
4.0 The Game	6
4.1 Introduction	6
4.2 Game Description	6
4.2.1 Field Illustration	6
4.2.2 Gameplay Overview	7
4.2.3 Gameplay Technology	8
4.3 Game Definitions	8
4.4 Gameplay	14
4.4.1 Pre-Match	14
4.4.2 Autonomous Period	15
4.4.3 Driver-Controlled Period	
4.4.4 End Game	17
4.4.5 Post Match Gracious Professionalism <sup>®</sup> - "Doing your best work while treating others with respect and kindness - It	

4.4.6 Penalties	17
4.4.7 Flowchart of <i>Match</i> Play	18
4.5 Rules of Gameplay	18
4.5.1 Safety Rules	18
4.5.2 General Game Rules	19
4.5.3 Game-Specific Rules	24
4.6 Scoring Summary	28
4.7 Rule Summary	29
Appendix A – Resources	36
Game Forum Q&A	36
Volunteer Forum	36
FIRST Tech Challenge Game Manuals	36
FIRST Headquarters Pre-Event Support	36
FIRST Websites	36
FIRST Tech Challenge Social Media	36
Feedback	36
Appendix B – Playing Field Locations	37
Appendix C – Playing Field Details	39
Appendix D – Scoring Element	44
Appendix E – Randomization	45
Appendix F – Scoring Examples	48
Appendix G – Navigation Images	55



# **1.0 Introduction**

# What is FIRST<sup>®</sup> Tech Challenge?

*FIRST*<sup>®</sup> Tech Challenge is a student-centered program that focuses on giving students a unique and stimulating experience. Each year, teams engage in a new game where they design, build, test, and program autonomous and driver operated robots that must perform a series of tasks. Participants and alumni of *FIRST* programs gain access to education and career discovery opportunities, connections to exclusive scholarships and employers, and a place in the *FIRST* community for life. To learn more about *FIRST*<sup>®</sup> Tech Challenge and other *FIRST*<sup>®</sup> Programs, visit www.firstinspires.org.

# 2.0 Gracious Professionalism®

FIRST<sup>®</sup> uses this term to describe our programs' intent.

*Gracious Professionalism*<sup>®</sup> is a way of doing things that encourages high-quality work, emphasizes the value of others, and respects individuals and the community.

Watch Dr. Woodie Flowers explain Gracious Professionalism in this short video.

# 3.0 How to Use This Document

The Game Manual Part 2 – Traditional Events is a resource for all *FIRST®* Tech Challenge *Teams* for information specific to the 2022-2023 season's game.

The intent of this manual is that the text means exactly, and only, what it says. Please avoid interpreting the text based on assumptions about intent, implementation of past rules, or how a situation might be in "real life". There are no hidden requirements or restrictions. If you have read everything, you know everything.

Key words that have a specific meaning within this document are defined in the Game Definitions section and are indicated with the first letter capitalized, and the entire word in *Italics*.

# 4.0 The Game

#### 4.1 Introduction

This document describes POWERPLAY<sup>SM</sup> presented by Raytheon Technologies, the *FIRST*<sup>®</sup> Tech Challenge game for the 2022-2023 season. We recommend viewing the game animation prior to reading this manual to gain a general understanding of the game. The animation is not intended as a replacement for official game rules. The animation can be accessed on our website under "Videos and Promotional Materials": <u>https://www.firstinspires.org/resource-library/ftc/game-and-season-info.</u>

*Teams* must comply with all the rules and requirements stated in this document and in the Game Manual Part 1 - Traditional Events. Clarifications to the game rules are issued on the question & answer section of the forum at <a href="https://ftc-qa.firstinspires.org">https://ftc-qa.firstinspires.org</a>. Forum rulings take precedence over information in the game manuals.

*Teams* should refer to the <u>Game Manual Part 1 – Traditional Events</u> for information about the competition such as how rankings work (Ranking and TieBreaker Points), advancement, judged awards, *Robot* rules, and general competition rules.

## 4.2 Game Description

#### 4.2.1 Field Illustration

The following illustrations identify the *Game Elements* and give a general visual understanding of the game. *Teams* should refer to <u>andymark.com/FTC</u> for the exact *Game Element* dimensions. The official *Playing Field* documents, including the official Field Setup and Assembly Guide, are available at <u>https://www.firstinspires.org/resource-library/ftc/game-and-season-info</u>. Please note: *Playing Field Wall* heights are different depending on the manufacturer. *Playing Field Wall* height measurements for each manufacturer are in the official Field Setup and Assembly Guide. During the season, *Teams* may attend events that use *Playing Field Walls* from different manufacturers, please incorporate that into the design of your *Robot*.




Figure 4.2-1 – Isometric view of the Playing Field






Figure 4.2-2 – Top view of the Playing Field

## 4.2.2 Gameplay Overview

Welcome to POWERPLAY<sup>SM</sup> presented by Raytheon Technologies. *Matches* are played on a *Playing Field* initially set up as illustrated in Figure 4.2 -1. Two *Alliances* – one "red" and one "blue", made up of two *Teams* each – compete in each *Match*. The object of the game is to earn as many points as possible by performing the achievements outlined below.

The *Match* starts with a 30-second *Autonomous Period* in which *Robots* operate using only pre-programmed instructions and sensor inputs. The following *Robot* actions earn points during the *Autonomous Period*:

- 1. Each Cone placed In a Terminal or on a Junction earns points.
- 2. Navigating to their Alliance Terminal or Alliance Substation.
- 3. *Alliances* can also earn points by *Parking* in the *Signal Zone* that corresponds with the randomly selected indicator image, and *Teams* that use the *Team-supplied Signal Sleeve* earn more points for this task.

The two-minute Driver-Controlled Period follows the Autonomous Period. Alliances earn points by:

- 1. Placing Cones In Terminals or on Junctions.
- 2. Owning a Junction.
- 3. Creating a continuous *Circuit* of *Junctions* from one *Alliance Terminal* to the other matching *Alliance Terminal*.

The final 30 seconds of the *Driver-Controlled Period* is called the *End Game*. In addition to the previously listed *Driver-Controlled Period Scoring* activities, *Alliances* earn points by:

- 1. Capping a Junction.
- 2. Parking in their Alliance Terminal.

#### 4.2.3 Gameplay Technology

Each game comes with its own unique set of challenges. In POWERPLAY<sup>SM</sup> there are multiple ways *Teams* can utilize technology to assist them in solving these challenges. *Teams* may use the built-in technology, or they can come up with their own solutions to solve the challenges.

This season, the challenges include:

- 1. Object Identification
  - a) The *Robot* can use its on-board control system to identify an object.
  - b) Teams can use the built-in TensorFlow technology to identify the images on the Signal.
- 2. Field Navigation
  - a) Robots can use the Navigation Images along with the built-in vision processing software, Vuforia, and an on-board camera to help identify their location on the field. This is especially useful during the Autonomous Period.
  - b) Tape on the *Playing Field Floor* helps *Robots* with color and/or vision sensors locate the *Cone* stacks, *Terminals*, and *Substations*.
- 3. Sensor Use
  - a) Teams can add sensors to their Robot to help it identify the Cones and Junctions.

For resources on how to use the available technologies, please visit <u>https://github.com/FIRST-Tech-Challenge</u>.

#### 4.3 Game Definitions

The following definitions and terms are used for POWERPLAY<sup>SM</sup>. Game definitions are Capitalized and *italicized* throughout the manual.

**Alliance** – Each *FIRST* Tech Challenge *Match* consists of two, two-*Team Alliances*. The two *Teams* in one *Alliance* compete against the two *Teams* in the other *Alliance* to complete the game challenges and to earn the highest *Score*. For qualifying and championship tournaments with 21 or more *Teams*, the semi-final and final *Match Alliances* consist of three *Teams* each. However, only two of those *Teams* compete during any one *Match*.

Alliance Neutral - Available to a Robot from any Alliance.

Alliance Specific – Associated with a specific Alliance (i.e., red or blue Alliance).

**Alliance Station** – The designated red or blue Alliance Area adjacent to the Playing Field where the Drive Team stand during a Match.

**Area** – The space defined by the vertical projection of the outside edge of a region's boundary (for example, gaffer tape, goal, *Playing Field Wall*). The boundary element (tape, wall, markings, etc.) is part of the *Area* for the purposes of determining *Inside* and *Outside*.

**Autonomous Period** – The initial thirty-second *Match* period in which the *Robots* operate and react only to sensor inputs and to commands pre-programmed by the *Team* onto the onboard *Robot* control system. Human control of the *Robot* is not permitted during this time.



**Beacon** – The Team Scoring Element for this season. A Team designed and manufactured part that may be used in the Match. A detailed definition of Team Scoring Element is in section 7.4 of the Game Manual Part 1. Compliance with construction rules will be verified during Robot Inspection. Robots use the Beacon to permanently Own a Junction by Capping the Junction during the End Game.

**Block / Blocking** – Preventing an opposing Alliance Robot from accessing an Area or Game Element for an extended period by obstructing ALL paths of travel to the object or Area. Active defense played by a Robot shadowing an opposing Alliance Robot that eliminates all paths of travel between the opposing Alliance Robot and an Area or Alliance Specific Game Element or all remaining Alliance Neutral Game Elements is considered Blocking, even though at a given moment there is an open path. See also the definition of Trap / Trapping.

**Brace** - Stabilizing (without grasping) a *Cone* or stack of *Cones* to maintain their position while a *Robot* is attempting to *Score*.

**Cap/Capping** - Placing a Beacon on a Junction to indicate permanent Ownership and to prevent Scoring additional Cones or Beacons on that Junction. Note: Capping may change Ownership of a Junction. A Junction is successfully Capped when one of the following conditions is satisfied:

- a) Beacon is Completely On a Junction.
- b) Beacon is Completely On a Scored Cone on a Junction.
- c) Beacon is completely around the circumference of a Junction pole.

*Circuit* – A continuous path of *Connected Alliance Owned Junctions* that links the two (2) matched *Alliance Owned Terminals*. See Appendix F for examples.

**Coach** – A Student Team member or adult mentor designated as the Drive Team advisor during the Match and identified by wearing a coach badge or identifying marker.

**Competition Area** – The Area where all the *Playing Fields, Alliance Stations,* scoring tables, on-deck queuing tables, event officials, and other competition items relating to *Match* play are located. The *Team* Pit area and practice *Playing Fields* are not part of the *Competition Area*.

**Cone** – A *Game Element* that is 4 inches (10.16 cm) in diameter at the base and 5 inches (15.2 cm) tall. It weighs 2.55 oz. (72.4 grams). The game is played with sixty (60) *Cones*, thirty (30) red and thirty (30) blue.

**Connect/Connection** – A Connection is formed when two (2) adjacent Junctions or a Terminal-Junction pair are Owned by the same Alliance. See Appendix F-1.

**Control / Controlling** – An object is *Controlled* by a *Robot* if the object is following the movement of the *Robot*. Objects that are *Controlled* by a *Robot* are considered to be a part of the *Robot*. See also the definition of *Possess / Possessing*. Examples of interaction with *Game Elements* that are *Controlled* include, but are not limited to:

- a) Carrying one or more Game Elements.
- b) Propelling Game Elements are considered Controlled until they make contact with something other than the Playing Field Floor or come to rest. See also the definition of Propelled in this section.
- c) Herding of Game Elements is considered Control. See also the definition of Herding in this section.
- d) *Trapping* one or more *Scoring Elements* against a *Game Element*, *Playing Field Wall*, or *Robot* to shield or guard them. See also the definition of *Trapping* in this section.

Examples of interaction with *Game Elements* that are not *Controlled* include, but are not limited to:

- e) *Plowing* of *Game Elements* is not considered *Control.* See also the definition of *Plowing* in this section.
- f) *Inadvertent* contact with a *Propelled Game Element* as it bounces off the *Playing Field* or a *Robot*. See also the definition of *Inadvertent* in this section.

**Disable** / **Disabled** – A Robot that is no longer active for the remainder of the *Match* due to a *Robot* failure or by the request of a referee. Only a *Referee* can declare a *Robot Disabled*. If a referee *Disables* a *Robot* during a *Match*, they may ask the *Team* to drive their *Robot* to a neutral position on the *Playing Field*, issue a stop command with the *Driver Station*, and place their *Driver Station* in a hands-off location on a competition provided structure or the *Alliance Station* floor.

**Disqualified / Disqualification / Disqualify** – A *Team* that is ineligible to compete in a *Match*. A *Team* that is *Disqualified* from a *Match* will not receive credit for the *Match* (that is, no *Score*, no Ranking and no TieBreaker points).

**Drive Team** – Up to four (4) representatives; two (2) *Drivers, one (1) Human Player and* one (1) *Coach* from the same *Team*. Only one (1) *Human Player* represents an entire *Alliance* in a *Match*.

**Driver** – A Student Team member responsible for operating and controlling the *Robot* and identified by wearing a competition supplied *Driver* badge or identifying marker.

Driver-Controlled Period – The two-minute Match time period in which the Drivers operate the Robots.

**Driver Station** – Hardware and *FIRST* supplied software used by a *Drive Team* to control their *Robot* during a *Match*. A detailed description of the *Driver Station* rules is listed in <u>Game Manual Part 1 – Traditional</u> <u>Events</u>.

End Game – The last thirty (30) seconds of the two-minute Driver-Controlled Period.

**End of the Period/Match** - The moment when the *Match* timer reaches 2:00 for the *Autonomous Period* or 0:00 for the *Driver-Control Period* and which coincides with the start of the sound that designates the *End of the Period*.

*Game Element* – Any item *Robots* interact with to play the game. *Game Elements* for this year's game include *Junctions*, *Cones*, *Signals*, *Signal Sleeves*, *Navigation Images*, and *Beacons*.

*Herding* – Pushing or moving one or more *Scoring Elements* to a desired location or direction that gains a strategic advantage beyond moving the *Robot* around the *Playing Field*. See also the related definition of *Plowing* in this section.

*Human Player*– A *Student Team* member responsible for handling *Scoring Elements* and identified by wearing a competition supplied human player badge or identifying marker.

*In (Inside) / Completely In (Completely Inside)* – An object that has crossed into the upwards vertical extension (i.e., at a right angle to the *Playing Field Floor*) of a defined *Area's* boundary is *Inside* the *Area*. An object that is entirely within the upwards vertical extension of a defined *Area's* boundary is *Completely Inside* the *Area*. The boundary element (tape, wall, markings, etc.) is part of the *Area* for the purposes of determining *Inside* and *Outside*, unless otherwise specified.

*Inadvertent* – An unintended side effect of a *Robot* action. Unforced or unexpected *Robot* actions based on software commands are not considered to be *Inadvertent*.

*Inconsequential* – An outcome that does not influence *Scoring* or gameplay.

*Interference* - Interaction between opposing *Alliance Robots* that amplifies the difficulty of a *Scoring* activity. Actions that constitute *Interference* should not be considered illegal except as specified by a game rule.

Junction – There are twenty-five (25) Alliance Neutral Junctions. There are four types of Junctions:

- a) *Ground Junction:* A 6 inch (152 mm) diameter disc with a 4.25 inch (108 mm) diameter x 0.47 inch (12.7 mm) recess. There are nine (9) *Ground Junctions* on the *Playing Field*.
- b) *Low Junction:* A spring-mounted 1 inch (25.4 mm) diameter pole that is 13.5 inches (343 mm) tall. There are eight (8) *Low Junctions* on the *Playing Field*.
- c) *Medium Junction:* A spring-mounted 1 inch (25.4 mm) diameter pole that is 23.5 inches (597 mm) tall. There are four (4) *Medium Junctions* on the *Playing Field*.
- d) *High Junction:* A spring-mounted 1 inch (25.4 mm) diameter pole that is 33.5 inches (851 mm) tall. There are four (4) *High Junctions* on the *Playing Field*.

Note: The at rest vertical angle of the pole may vary from *Match* to *Match* and during gameplay.

Launching – Propelling Game Elements through the air or water above the Playing Field Floor.

*Match* - A head-to-head competition between two *Alliances*. *Matches* are made up of several periods totaling two minutes and thirty seconds (2:30). There is a thirty (30) second *Autonomous Period*, followed by a two (2) minute *Driver-Controlled Period*. The last thirty (30) seconds of the *Driver-Controlled Period* is called the *End Game*. There is an eight-second transition between the *Autonomous Period* and the *Driver-Controlled Period* for *Teams* to pick up the controllers and switch programs.

Navigating – A Scoring task where a Robot is Parked In or Completely In a specified Area.

**Navigation Image** - Four (4) unique images mounted on the *Playing Field Walls* that *Robots* can use to navigate around the *Playing Field*. Images are printed on standard letter size paper, 8 1/2 inches x 11 inches (216 mm x 279 mm) or A4 (210 mm x 297 mm) paper. Images are mounted on the outside of the *Playing Field* as described in Appendix G.

*Off / Completely Off* – Not physically in contact with or *Supported* by an object, surface, etc. Objects that are *Off* are also considered *Completely Off*.

**On / Completely On** – An object that is physically in contact with and at least partially Supported by an object, surface, etc. is considered *On*. An object that is entirely Supported by an object, surface, etc. is *Completely On*.

Out / Outside - An object that does not extend into any part of a defined Area is Outside the Area.

**Own / Owned** – An Alliance Owns a Junction when that Alliance has the top Scored Cone or a Scored Beacon on that Junction. A Terminal is Owned when it has at least one (1) Scored Cone.

Park / Parked – The condition where a Robot is motionless.

**Penalty** – The consequence imposed for a rule or procedure violation that is identified by a referee. When a *Penalty* occurs, points will be added to the non-offending *Alliance's Score*. *Penalties* are further defined as *Minor Penalties* and *Major Penalties*.

*Penalties* may also escalate to the issuing of a *Yellow Card* or *Red Card* as a result of a continued occurrence of a rule violation and upon discretion of the Referee.

**Yellow Cards and Red Cards** – In addition to rule violations explicitly listed in section 4.6, Yellow Cards and Red Cards are used in the *FIRST* Tech Challenge to manage *Team* and *Robot* behavior that does not align with the mission of *FIRST*. Yellow and Red Cards are not limited to just the *Competition Area. Teams* that display egregious behavior in the pit area, judging rooms, stands, or any other location of the competition can be issued a Yellow or Red Card for egregious behavior.

Illegal behaviors that are repeated (3 or more times), or egregious behaviors by a *Robot* or *Team* member at the competition can result in a *Yellow* and/or *Red Card*. *Yellow Cards* are additive, meaning that a second *Yellow Card* is automatically converted to a *Red Card*. A *Team* is issued a *Red Card* for any subsequent incident in which they receive an additional *Yellow Card*, for example, earning a second *Yellow Card* during a single *Match*.

*Yellow* and *Red Cards* may be issued on or off the competition field. For details, please make sure to read the Competition Rules outlined in section 3.5 of the <u>Game Manual Part 1</u> – Traditional Events.

*Pin / Pinning* – Preventing the movement around the *Playing Field* in <u>all</u> directions of an opposing *Alliance Robot* while it is in contact with the *Playing Field Wall*, one or more *Game Elements*, or another *Robot*.

**Playing Field** – The part of the *Competition Area* that includes the 12 ft. x 12 ft. (3.66 m x 3.66 m) field and all the *Game Elements* described in the official field documents. From the audience viewpoint, the Red *Alliance Station* is on the right side of the *Playing Field*.

*Playing Field Damage* – A physical change to a *Game Element* or *Playing Field* that affects gameplay.

Playing Field Floor - The top surface of the Tiles that make up the base of the Playing Field.

*Playing Field Perimeter* – The boundary defined by the outside edge of the extrusion that holds the *Playing Field Wall* panels.

**Playing Field Wall** – An approximate 12 inches (30.5 cm) tall, 12 ft. (3.66 m) long by 12 ft. (3.66 m) wide wall surrounding the *Playing Field Floor*. The height of the *Playing Field Wall* will vary depending on which *Playing Field Wall* is being used at the event. *Robots* should be built to interact with all legal *Playing Field Walls*.

**Plowing** – Inadvertent contact with Game Elements while in the path of the Robot moving about the Playing Field that provides no additional advantages beyond field mobility. See also the definition of Herding in this section.

**Possess / Possessing** – An object is *Possessed* by a *Robot* if, as the *Robot* moves or changes orientation (for example, moves forward, turns, backs up, spins in place), the object remains in approximately the same position relative to the *Robot*. Objects *Possessed* by a *Robot* are considered to be *Controlled*, and they are part of the *Robot*. See also *Control/Controlling*.

**Pre-Load** - A Game Element that a Drive Team positions during pre-Match setup so that it touches a Robot or is Possessed by a Robot at the start of the Autonomous Period.

**Propel / Propelling** – Giving Game Elements enough force such that they move independent of contact with the *Robot* or *Human Player*. Movement solely due to gravity is not *Propelling*.

**Queuing Area** – The location in the *Competition Area* where *Drive Teams*, *Robots*, and optional *Robot* carts are staged until directed by competition personnel to set up their *Robots* on a competition *Playing Field*.



**Robot** – Any mechanism that has passed *Robot* inspection and a *Drive Team* places on the *Playing Field* prior to the start of a *Match*. A detailed definition of *Robot* is in the *Robot* rules section in the <u>Game Manual</u> <u>Part 1 – Traditional Events</u>.

Rolling – Propelling Game Elements along the Playing Field Floor.

**Score** / **Scoring** – Robots earn points for their Alliance by interacting with Scoring Elements and Navigating to specific Areas of the Playing Field.

The specific method for each *Scoring* achievement is stated in the achievement's description in Section 4.4. Individual *Scoring* achievements are determined by one of three methods:

- a) **Scored as Completed**: The achievement is considered *Scored* the moment it is successfully completed, i.e., all criteria are met.
- b) **Scored at End of the Period**: The achievement's *Scoring* status is determined based on the *Robot* or *Scoring Element's* position at the *End of the Period (Autonomous or Driver-Controlled).*
- c) **Scored at Rest**. The achievement is considered *Scored* based on the position of the *Robot* or *Scoring Element* when the entire field has come to rest after the *Period* (*Autonomous* or *Driver-Controlled*) ends.

Use of the real-time scoring system display is intended to help the audience and *Teams* keep up with the action on the *Playing Field* and give a general sense of the *Match Score*. Those watching should keep in mind that the *Scoring* for the *Match* is not official until the referees finalize the *Score* after the *End of the Match*.

**Scoring Elements** – Objects that *Robots* manipulate to earn points for their *Alliance*. The *Scoring Elements* for the POWERPLAY<sup>SM</sup> are *Cones* and *Beacons*. A *Signal* is not a *Scoring Element*.

**Secured** – A Cone is Secured in a Ground Junction when the 4-inch diameter base of the Cone is Completely In the recess of the Junction or Completely On a Secured Cone. A Cone is Secured in a Low, Medium, or High Junction when the pole passes through the 1.25" diameter hole of the Cone or it is Completely On a Secured Cone. A Cone is Secured only if the large opening is facing toward the Playing Field Floor.

**Signal** – A Game Element that is constructed from a standard Cone. The Signal is 4 inches (10.16 cm) in diameter (base) and 5 inches (15.2 cm) tall. It weighs approximately 2.55 oz. (72.4 grams). There are four (4) Signals, two (2) red and two (2) blue. Each Signal, regardless of color, has the same set of three specific images, 120 degrees apart. The Signal is used only during the Autonomous Period to indicate the randomization state and may not be Scored. A Signal is not a Scoring Element.

**Signal Sleeve** – A *Team* designed and manufactured *Game Element* that *Teams* may choose to use in the *Match*. A detailed definition of the *Signal Sleeve* is in section 7.4 of the Game Manual Part 1 – Traditional Events. Compliance with construction rules will be verified during *Robot* Inspection. The *Signal Sleeve* is used to cover the Tournament supplied *Signal* images with *Team*-provided images that are different from the Tournament-supplied images for use during the *Autonomous Period*.

**Signal Zone** – A location on the *Playing Field* that *Robots Navigate* to during the *Autonomous Period*. There are three (3) distinct *Signal Zones* per *Robot*, each one corresponding to an image on the *Signal or Signal Sleeve*. See Appendix E, Figure E-3 for details.

Slide / Sliding – Propelling Game Elements along the Playing Field Floor.

*Student -* A person who has not completed high-school, secondary school, or the comparable level as of September 1<sup>st</sup> prior to the season Kickoff.

**Substation** - Taped off locations on the *Playing Field* where the *Human Player* places *Cones* or *Beacons*. There are two (2) *Substations*, one (1) red and one (1) blue.

**Substation Storage** – The designated area outside of the *Playing Field* directly adjacent to the *Substation* (see Figure 4.2-2) where the *Teams' Beacons* and additional *Cones* are stored to be introduced by the *Human Player*. There are two (2) *Substation Storage* areas, one (1) red and one (1) blue.

**Support / Supported / Completely Supported** – An object (i.e., *Robot, Scoring Element, Game Element,* etc.) is *Supported* by another object if the second object is bearing at least some of the weight of the first object. If the second object is bearing all the weight of the first object, it is *Completely Supported* by the second object.

*Team* – Mentors, supporters, and *Students* affiliated with an entity registered with *FIRST* and for the competition.

**Terminals** – Taped off Scoring Areas on the Playing Field. There are four (4) Alliance Specific Terminals, two (2) red and two (2) blue.

*Tile* – An approximate 24-inch x 24-inch (610 mm x 610 mm) foam rubber mat. The *Playing Field Floor* has thirty-six (36) *Tiles.* 

**Trap / Trapping** – Preventing an opposing Alliance Robot from escaping a constrained Area of the Playing Field for an extended period of time by obstructing all paths of travel from the object or Area. See also the definition of Block / Blocking in this section.

**Warning -** Warnings apply to the entire Team. Warnings have no effect on an Alliance's Score. Individual actions of a single Team member will count as a Warning for the entire Team.

# 4.4 Gameplay

Prior to the start of the *Match*, *Drive Teams* perform some basic *Robot* setup steps that are described in section 4.4.1. *Matches* are made up of several periods totaling two minutes and thirty seconds (2:30). There is a thirty (30) second *Autonomous Period*, followed by a two (2) minute *Driver-Controlled Period*. The last thirty (30) seconds of the *Driver-Controlled Period* is called the *End Game*. There is an eight-second transition between the *Autonomous Period* and the *Driver-Controlled Period* for *Teams* to pick up the controllers and switch programs. When the *Match* is over and referees signal, *Drive Teams* collect their *Robots*, return *Possessed Game Elements* to the *Playing Field*, and exit the *Competition Area*.

## 4.4.1 Pre-*Match*

1) Field personnel set up the *Playing Field* as depicted in Figure 4.2-1.

- a) One (1) Signal is placed at each Signal location with image 1 facing the closest Alliance Station.
- b) Ten (10) red Cones are placed in two (2) stacks of five (5) Cones each Inside the Playing Field.
- c) Ten (10) blue Cones are placed in two (2) stacks of five (5) Cones each Inside the Playing Field.
- d) Twenty (20) red *Cones* are placed in four (4) stacks of five (5) *Cones* each in the red *Substation Storage Area*.
- e) Twenty (20) blue *Cones* are placed in four (4) stacks of five (5) *Cones* each in the blue *Substation Storage Area*.

2) Drive Teams set up their Robots on the Playing Field with the following constraints:

## a) Starting Location

- i. *Drive Teams*, with the agreement of their *Alliance* partners, select their *Robots'* starting locations.
- ii. Blue *Robots* must start *Completely In Tile* A2 or A5, red *Robots* must start *Completely In Tile* F2 or F5. See Appendix B for *Tile* nomenclature.
- iii. Drive Teams must place their Robot, in any orientation, touching the Playing Field Wall adjacent to their Alliance Station.
- b) **Pre-Loaded Cones** The Drive Team may Pre-Load exactly one (1) Cone. If used, a Pre-Loaded Cone is taken from Substation Storage.
- c) **Beacon** The Team's Beacon corresponding to its Alliance color is placed in Substation Storage.
- d) Signal Sleeve Drive Teams intending to use their Signal Sleeve must place it on top of the Signal closest to their Robot with "Team Image 1" (see Appendix E, Figure E-7, for Signal Sleeve nomenclature) facing the associated Alliance Station.
- e) **Op Mode** *Drive Teams* use their *Driver Station* Android device to:
  - i. Select an *Autonomous* Op Mode. If the *Team* does not have an *Autonomous* Op mode, steps ii and iii can be skipped.
  - ii. The thirty-second timer must remain enabled.
  - iii. Press the *Driver Station* "Init" button.
  - iv. Robot must be motionless prior to the start of the Match.
  - v. *Drive Teams* may not touch their *Driver Stations* or controllers until the *Autonomous Period* has ended, <u>except to start their *Autonomous* program with a single touch</u> to the *Driver Station* Android device screen.
- 3) Once the referees signal that set-up is complete:
  - a) Drive Teams may no longer touch their Robots until the conclusion of the Match.
  - b) *Drive Teams* may not touch their *Driver Stations* or controllers until the *Autonomous Period* has ended. Exceptions to this include using the *Driver Station* to start their *Autonomous* program or to *Disable* their *Robot* as instructed by a referee.
  - c) Field personnel will rotate the *Signal* into one of three (3) orientations that is randomly chosen by the scoring system or by a die throw as specified in Appendix E. All *Signals* will have the same orientation as seen from their associated *Alliance Station*. Each *Robot* will see the same image.

## 4.4.2 Autonomous Period

The Match starts with a thirty (30) second Autonomous Period where Robots are operated only via preprogrammed instructions. Teams are not allowed to control Robot behavior with the Driver Station or any other actions during the Autonomous Period. The Driver Station is placed in a hands-off location during the Autonomous Period so that it is evident that there is no human control of Robots. The only exception is to allow Drive Teams to start their Robot with the "start" command issued on the Driver Station touch screen. Teams must use the built-in thirty-second timer. Following a countdown by field personnel, the *Autonomous Period* begins. *Drive Teams* may issue *Robot* start commands with their *Driver Station* Android device to run the *Autonomous* Op Mode that was selected during *Pre-Match* setup. Failure to adhere to this procedure may subject the *Team* to a *Penalty* as specified in the game rules in section 4.5.2. *Drive Teams* are not required to start executing an Op Mode during the *Autonomous Period*.

Autonomous points are Scored at Rest for the following achievements:

- 1) Navigating
  - a) A Robot Parked In their Alliance's Substation earns two (2) points.
  - b) A Robot Parked In their Alliance's Terminal closest to the Alliance Station earns two (2) points.
- 2) Cone Robots placing Cones earn points as follows:
  - a) Each *Cone* placed *In* its matching color *Terminal* closest to the *Alliance Station* earns one (1) point.
  - b) Each Cone Secured (see Appendix F) on a Junction earns points as follows:
    - i. Ground Junction: two (2) points.
    - ii. Low Junction: three (3) points.
    - iii. Medium Junction: four (4) points.
    - iv. High Junction: five (5) points.
- Signal Bonus Robots earn points for Parking Completely In their Alliance's Signal Zone that corresponds to the randomly selected Signal image (see Appendix E). An Alliance's Signal Zones are on the half of the field closest to/in front of their Alliance Station.
  - a) If using the *Playing Field*-supplied *Signal*, a *Robot* will earn ten (10) points.
  - b) If using the *Team*-supplied *Signal Sleeve*, a *Robot* will earn twenty (20) points.

Cones that are Scored in the Autonomous Period will earn additional points at the end of the Driver-Controlled Period if they remain in place.

#### 4.4.3 Driver-Controlled Period

Directly following the end of the Autonomous Period, Drive Teams have five (5) seconds plus a "3-2-1-go" countdown to prepare their Driver Stations for the start of the 120 second Driver-Controlled Period. On the countdown word "go," the Driver-Controlled Period starts, and Drive Teams press their Driver Station start button to resume playing the Match.

Driver-Controlled tasks are Scored at Rest for the following achievements:

- 1) **Cone** Robots placing Cones earn points as follows:
  - a) Each Cone that is placed In its matching color Terminal earns one (1) point.
  - b) Each *Cone Secured* (see Appendix F) on a *Junction* earns the following points for the *Alliance* designated by the *Cone* color.
    - i. Ground Junction: two (2) points.
    - ii. Low Junction: three (3) points.
    - iii. Medium Junction: four (4) points.
    - iv. High Junction: five (5) points.



# 4.4.4 End Game

The last thirty seconds of the *Driver-Controlled Period* is called the *End Game*. *Driver-Controlled Period Scoring* can still take place during the *End Game*. A *Beacon* introduced into the *Playing Field* prior to the start of the *End Game* is not eligible for *Scoring*. All other achievements can be started at any time.

End Game tasks are Scored at Rest.

- 1) **Junction Ownership** Alliances earn points for Owning a Junction. There are two mutually exclusive ways to Own a Junction:
  - a) Ownership conveyed by the top Scored Cone is worth three (3) points; or
  - b) Ownership conveyed by a Beacon successfully Capping a Junction earns ten (10) points.

If both (a) and (b) are met, a *Beacon* (condition b) takes precedence over the top *Scored Cone* (condition a).

Subsequent *Beacons or Cones* placed on the *Junction* after it is *Capped* have zero (0) *Score* value and do not change *Ownership*.

- 2) **Circuit** A completed Circuit earns the Alliance twenty (20) points. Only one (1) Circuit bonus per Alliance can be earned per Match.
- 3) Navigating A Robot Parked In either of their Alliance's Terminals earns two (2) points.

#### 4.4.5 Post Match


After the *Match*, *Field Personnel* will finalize the *Score*. Referees will signal for the *Drive Teams* to enter the *Playing Field* and retrieve their *Robots*, *Team Signal Sleeves* and *Beacons*. *Drive Teams* should return any *Game Elements* that are *Possessed* by the *Robot* to the *Playing Field*. The *Playing Field* reset crew will set up the *Playing Field* for the next *Match*.

#### 4.4.6 Penalties

Penalty points are added to the non-offending Alliance's Score at the End of the Match. Minor Penalties give the non-offending Alliance ten (10) points per occurrence. Major Penalties give the non-offending Alliance thirty (30) points per occurrence. Warnings have no effect on an Alliance's Score.

#### 4.4.7 Flowchart of Match Play

The following figure shows the typical flow of the *Match* and the actions taken on the *Driver's Station* Android device.



# 4.5 Rules of Gameplay

Gameplay is restricted by the Safety rules (<S#>), the General rules (<G#>), and the Game-Specific rules (<GS#>). Violation of rules may lead to *Penalties*, *Yellow Cards*, *Red Cards*, a *Disabled Robot*, or *Disqualification* of the offending *Team* or *Alliance* from either a *Match* or the competition. Rules apply to all periods of play unless otherwise specified. If rules are in conflict, Safety rules take precedence over all rules and Game-Specific rules take precedence over General rules. **The official** *FIRST***Tech Challenge Question & Answer Forum rulings take precedence over all information in the game manuals.** 

## 4.5.1 Safety Rules

**S1> Unsafe Robot or Playing Field Damage** – If at any time the *Robot* operation is deemed unsafe or has damaged the *Playing Field* or another *Robot*, by the determination of the referees, the offending *Robot* may be *Disabled*, and the *Team* may be issued a *Yellow Card*. Re-inspection of the *Robot* is required before it may play another *Match*. Damage that requires significant repair and/or delays subsequent *Match* play is likely to escalate to a *Red Card*.

<S2> Robot Extension Outside the Playing Field Perimeter – If any portion of the Robot contacts anything Outside the Playing Field Perimeter, the Team will be issued a Yellow Card and the Robot may be Disabled immediately for the remainder of the Match, unless allowed by Game-Specific rule(s) listed in section 4.6.3. See the game definitions in section 4.4 for a complete description of the Playing Field Perimeter.

The intent of this rule is not to *Penalize* an *Alliance* for *Inadvertent*, safe *Robot* extension *Outside* the *Playing Field Perimeter*. Intentional *Robot* extension *Outside* the *Playing Field* is not permitted.



<S3> Safety Gear – All members of the *Drive Team* are required to wear approved eye protection and shoes with closed toed and a closed back. If any member of the *Drive Team* is not wearing these safety items, the referee will issue a *Warning* to the *Team* member(s) and if the situation is not remedied within thirty (30) seconds, the offending member(s) of the *Drive Team* must leave the *Competition Area* for the remainder of the *Match* and may not be replaced by another *Team* member. Failure to comply with a request to leave the *Competition Area* violates rule <G30>. Repeated *Team* member violations during the competition will escalate to a *Team Warning*. Following the *Team Warning*, subsequent violations by any member of the *Team* will result in a *Minor Penalty* for the *Alliance*.

## 4.5.2 General Game Rules

<G1> Autonomous to Driver-Controlled Period Transition – At the conclusion of the Autonomous Period, Robots will remain in a hands-off state. Field personnel will not enter the field and will not touch Robots on the field during the Autonomous to Driver-Controlled transition. The scoring system display will provide visual and audio cues for Drive Teams to pick up their Driver Stations. Drive Teams will have five (5) seconds to pick up and prepare their Driver Station. After five (5) seconds, there will be a "3-2-1 go" countdown and the Driver-Controlled Period of the Match will begin.

<G2> Score Certification at the End of the Match – Scores will be tracked by field personnel throughout the Autonomous and Driver-Controlled Periods of the Match. At the End of the Match, the final Score will be certified as quickly as possible. A change in state of a Game Element or Robot at the End of the Match after its final Score is recorded will not change an already-recorded Score. Scoring Elements will not be recounted after the End of the Match unless otherwise specified by a Game-Specific rule.

<G3> Forcing an Opponent to Break a Rule – The actions of an *Alliance* or their *Robots* shall not cause an opposing *Alliance* or *Robot* to break a rule and thus incur *Penalties*. Any forced rule violations committed by the affected *Alliance* shall be excused, and no *Penalties* will be assigned to the affected *Alliance*.

<G4> Robot Manipulation of Scoring Elements – Scoring Elements that are Controlled or Possessed by a Robot are part of the Robot except when determining the location of the Robot or otherwise specified by a Game-Specific rule.

For Example: If a *Robot Possesses* a *Scoring Element*, and only that *Scoring Element* breaks the plane of a *Scoring Area*, the *Robot* does not receive points for being *In* that *Area*.

<G5> Robot or Scoring Elements In Two or More Scoring Areas – Robots or Scoring Elements that are In two or more Scoring Areas earn points only for the highest value achievement. If the achievement values are equal, only one achievement counts as Scored.

<G6> Scoring Elements in Contact with Robots – Scoring Elements in a Scoring Area that are in contact with or Controlled by a Robot on the corresponding Alliance for the Scoring Area have zero Score value.

<G7> Disabled Robot Eligibility - If a referee Disables a Robot, it will not be eligible to Score or earn points for the remainder of the Match. A Disabled Robot (whether referee induced or Robot failure) does not earn Penalties after being declared Disabled.

<G8> *Playing Field* Tolerances – Competition provided *Playing Field* and *Game Elements* will start each *Match* with tolerances that may vary by +/-1.0 inch (25.4 mm). *Teams* must design their *Robots* accordingly.

*Playing Field* and *Game Elements* are expected to be manufactured, assembled, and set up using a high standard for dimensional and location accuracy. The intent of the generous +/- 1.0 inch tolerance is to accommodate unintentional size and location variations that may occur. The tolerance is not an excuse for intentional or imprecise accuracy in construction or setup.

<G9> Match Replay – Matches are replayed at the discretion of the head referee only for a failure of a non-Team supplied Game or Field Element or verified Wi-Fi interference that was likely to have impacted Match Scores for Qualification Matches or which Alliance won the Match for Elimination Matches.

Unexpected *Robot* behavior will not result in a *Match* replay. *Team*-induced failures, such as low battery conditions, processor sleep time-outs, *Robot* mechanical, electrical, software, or communication failures, etc. are NOT valid justifications for a replaying of a *Match*.

<G10> *Inadvertent* and *Inconsequential* - *Robot* actions that violate a rule may be ruled at the referee's discretion to be *Inconsequential* and *Inadvertent* and will not be *Penalized*.

<G11> Illegal Match Communication – Electronic communication (cell phone, two-way radio, Wi-Fi, Bluetooth, etc.) by Drive Team members after an Alliance has been called from the queue to the Playing Field for its Match is not allowed. The first instance of violating this rule will result in a Warning, with any following instances during the competition resulting in a Minor Penalty. Items that may be mistaken by a casual observer as being in violation of this rule should not be brought to the Playing Field. The Driver Station is exempt from this rule but must be used only for operating the Robot.

<G12> Playing Field Access - Team members must not enter the Playing Field for any reason other than to place/retrieve their Robots. While placing Robots, Teams may not measure, test, or adjust Game Elements Inside or Outside of the Playing Field unless allowed by Section 4.4.1. When retrieving Robots, Teams may not verify the Scoring of Game Elements.

The consequences for violating this rule are:

- a) Minor Penalty for violations during Match setup or following the End of the Match.
- b) Major Penalty for violations that delay the start of the Match.
- c) Violations of this rule outside of normal *Match* play will result in a Yellow Card.

If a *Team* feels the *Playing Field* is not set up correctly, *Teams* should notify a referee or field technical advisor prior to the start of the *Match*.

<G13> Pre-Match Robot Placement – At the beginning of a Match, each Alliance Robot must be set up on the Playing Field according to section 4.4.1 Pre-Match. After Robots are set up on the Playing Field, Drive Teams must stand Inside their respective Alliance Station.

a) During the Qualification *Matches*, the blue *Alliance Robots* are set up on the *Playing Field* first, unless the red *Alliance* waives their right to set up on the *Playing Field* second.

FIRST. FOR INSPIRATION & RECOGNITION OF SCIENCE & TECHNOLOGY

- b) During the Elimination Matches, the 3<sup>rd</sup> and 4<sup>th</sup> seeded Alliance Robots are set up on the Playing Field first, unless the higher seeded Alliance waives their right to set up on the Playing Field second. Alliance color doesn't change the seeding of a Team during the Elimination Matches. If the 4<sup>th</sup> seed defeats the 1<sup>st</sup> seed in the Semi-Finals, they will still have to place their Robot on the field first in the finals because their seeding will be lower than the 2<sup>nd</sup> or 3<sup>rd</sup> seed.
- c) During Elimination *Matches*, three *Team Alliances* may only place two *Robots* that are intended to compete in that *Match*. After the *Robots* are placed, the *Alliance* cannot swap in the 3<sup>rd</sup> *Alliance's Robot* for a *Robot* already placed.
- d) *Teams* may implicitly waive their right to place their *Robots* on the *Playing Field* last by placing their *Robots* on the *Playing Field* before or with the opposing *Alliance*. There is no need to tell the referees; *Teams* waive their right by the act of placing their *Robots* on the *Playing Field*.
- e) *Teams* that unnecessarily delay the beginning of a *Match* and/or field reset will incur a *Minor Penalty* for each offense. Significant delays may escalate to a *Major Penalty* at the discretion of the head referee.

*Drive Teams* are expected to stage their *Robots* for a *Match*, and remove it from the *Playing Field* afterwards, safely and swiftly. *Drive Team* efforts that either intentionally or unintentionally delay the start of a *Match* or the *Playing Field* reset are not allowed. Examples include, but are not limited to:

- Late arrival to the *Playing Field*.
- Robot maintenance once on the Playing Field.

If the field is waiting for the *Team*, they would be subject to this *Penalty*.

<G14> Robot Starting Volume – Before the start of a Match, each Robot in its starting location must not exceed a volume of 18 inches (457.2 mm) by 18 inches (457.2 mm) by 18 inches (457.2 mm). A Pre-Loaded Scoring Element may extend Outside the 18-inch (457.2 mm) cube volume constraint. Once a violation has been identified, if the Team cannot fix the violation within thirty (30) seconds, the offending Robot will be removed from the Playing Field. Robots removed from the field are not subject to a delay of game (<G13>e) Penalty. The Team remains eligible to earn Ranking and TieBreaker Points if a member of the Drive Team is in their Alliance Station during the Match.

After the start of a *Match*, the *Robot* may extend in any direction unless otherwise specified by the Game-Specific rules detailed in section 4.6.3.

<G15> Robot Setup Alignment – Teams may align their Robots during Pre-Match setup if they do so with legal components that are part of the Robot and can be reset to be within the 18-inch (457.2 mm) cube starting volume constraint. Robot setup alignment devices that extend outside the 18-inch starting volume constraint cannot be powered. A single member of the Drive Team may also align the Robot by sight if they are next to the Robot and their action does not delay the start of a Match. A Minor Penalty will be assessed to the Alliance for violation of this rule.

<G16> Alliance Stations – During a Match, the Drive Team must remain In their Alliance Station.

- a) Drive Teams may be anywhere in their respective Alliance Station.
- b) The first instance of leaving the *Alliance Station* will result in a *Warning*, with any following instances during the *Match* resulting in a *Minor Penalty*. Leaving the *Alliance Station* for safety reasons will not result in a *Warning* or *Penalty*.

c) Opposing Alliance's Drive Team members cannot distract/interfere with each other or the off field Scoring Elements (if present in the current season's challenge). Violations of this rule will result in an immediate Major Penalty and a possible Yellow Card.

The intent of this rule is to prevent *Drive Team* members from leaving their assigned *Station* during a *Match* to gain a competitive advantage. For example, moving to another part of the *Field* for better viewing, reaching into the *Field*, etc. Simply breaking the plane of the *Station* during normal *Match* play is not a *Penalty*.

<G17> Post-Match Removal of Robots – Robots must be designed to permit easy removal of Game Elements from the Robot after the Match. Robots should also be able to be removed from the Playing Field without unnecessary delay or damaging the Playing Field. A Minor Penalty will be assessed for violations of this rule.

The intent of this rule is to have timely removal of *Robots* from the *Playing Field* following a *Match. Drive Teams* are expected to stage their *Robots* for a *Match*, and remove them from the *Playing Field* afterwards, safely, and swiftly. *Drive Team* efforts that either intentionally or unintentionally delay the start of a *Match* or the *Playing Field* reset are not allowed. Examples include, but are not limited to:

- 1) Failing to exit the *Playing Field* once instructed by a referee.
- 2) Failing to remove *Driver Stations* in a timely manner.

<G18> Starting Gameplay Early – Robots that start playing the game (Autonomous or Driver-Controlled Period) prior to the start of a Match Period receive a Minor Penalty. Referees have the option of issuing a Major Penalty in place of the Minor Penalty if the early start results in a competitive advantage for the offending Alliance.

<G19> Late Start of the Autonomous Period – A Drive Team that starts their Robot's Autonomous Op Mode late will receive a Minor Penalty. Any delay in Robot movement must be done by its programming. Referees have the option of issuing a Major Penalty in place of the Minor Penalty if the late start results in a competitive advantage for the offending Alliance.

#### <G20> Robot Actions at End of the Period -

- a) Robots must Park at the end of the Autonomous and Driver-Controlled Periods. Robots that are not Parked at the conclusion of the "game sound" receive a Minor Penalty and the following actions of the Robot do not count towards their Alliance's Score. Drive Teams should make their best effort to stop gameplay immediately when the End of the Period game sound begins. Referees have the option of issuing a Major Penalty in place of the Minor Penalty if the late stop results in a competitive advantage (other than Scoring) for the offending Alliance.
- b) Scoring achievements that were started (unless disallowed by Game-Specific rules) before the *End of the Period* are eligible to be counted as *Scored*.
- c) Robot Scoring achievements that occur after the announced End of the Autonomous Period and before the start of the Driver-Controlled Period do not count towards the Score for the Autonomous or Driver-Controlled Periods.

FIRST. FOR INSPIRATION & RECOGNITION OF SCIENCE & TECHNOLOGY

<G21> Robot Control During Autonomous Period - During the Autonomous Period, Drive Teams may not directly or indirectly control or interact with Robots or Driver Stations. Early stopping of the Robot while running its Autonomous code is not allowed, except in cases of personal or equipment safety, and any achievements earned due to early stoppage will not Score points. A Major Penalty will be assessed for violating this rule. Teams that stop their Robots during the Autonomous Period are allowed to participate in the Driver-Controlled Period provided it can be done safely.

<G22> Drive Team Contact with the Playing Field or Robot – During a Match, the Drive Team is prohibited from making contact with the Playing Field, any Robot, or any Game Element unless allowed by Game-Specific rules. The first instance of contact will result in a Warning, with any following instances during the competition resulting in a Minor Penalty. Contact that affects Scoring and/or gameplay will result in issuance of a Yellow Card at the discretion of the referees. Contact with the Playing Field, a Game Element, or a Robot for safety reasons will not result in a Warning or Penalty.

For example, a *Game Element* is *Launched* from a *Robot* on the *Playing Field* and it *Inadvertently* hits a *Team* member in the *Alliance Station* and is deflected back onto the field. The *Team* would not receive a <G22> *Penalty* because the *Team* member was protecting themself (safety). However, if that same *Game Element* is caught and/or directed to a specific location on the *Playing Field*, the *Team* may be issued a <G22> *Penalty*.

<G23> Drive Team Coach Driver Station Control – During the Driver-Controlled Period, Robots must be remotely operated only by the Drivers using the Gamepads connected to the Team's Driver Station and/or by software running on the on-board Robot control system. The first instance of the Coach operating a Gamepad will result in a Warning, with any following instances during the competition resulting in a Major Penalty. During the Driver-Controlled Period, Drive Team Coaches and/or Drivers are allowed to hold the Team's Driver Station Android device and interact with it to select an Op Mode, view information displayed on the screen, and initialize, start, stop, and reset the Robot.

<G24> Robots Deliberately Detaching Parts – Robots may not deliberately detach parts during a Match or leave mechanisms on the Playing Field unless permitted by a Game-Specific rule. Possessed or Controlled Scoring Elements are not considered to be a part of the Robot for the purpose of this rule. The consequence of deliberately detaching a part is a Minor Penalty if it does not Block an opposing Alliance Robot, Alliance Specific Scoring Element or Scoring Area. If a deliberately detached component or mechanism affects gameplay by any Robot, the offending Robot will receive a Major Penalty and will be issued a Yellow Card. Robot parts that are released but remain connected by a tether are considered detached for the purposes of this rule.

Tethered components that move independently of the main *Robot* are considered a detached component and are illegal.

<G25> Robots Grasping Game Elements – Robots may not grab, grasp and/or attach to any Game Element, Robot, or structure other than Scoring Elements, unless specifically allowed by Game-Specific rule(s) listed in section 4.5.3. The first instance will result in a Warning with any following violations during the competition resulting in a Major Penalty.

<G26> Destruction, Damage, Tipping, etc. – Robot actions aimed at the destruction, damage, tipping over, or entanglement of Robots or Game Elements are not in the spirit of the FIRST Tech Challenge and are not allowed unless permitted by Game-Specific rules. However, FIRST Tech Challenge games are highly interactive. Robot-to-Robot contact and defensive gameplay should be expected. Some tipping, entanglement,

and damage may occur as a part of normal gameplay. If the tipping, entanglement, or damage is ruled to be deliberate or chronic, the offending *Team* will receive a *Major Penalty* and a *Yellow Card*.

<G27> Removing Game Elements from the Playing Field – Robots may not deliberately remove Game Elements from the Playing Field during a Match. Game Elements that Inadvertently fall Outside the Playing Field will be returned to the Playing Field by field personnel at the earliest safe and convenient opportunity at a non-Scoring location approximately where it left the field. Game Elements removed from the Playing Field in an attempt to Score are also not subject to this Penalty. Teams deliberately removing Game Elements from the Playing Field will incur a Minor Penalty per Game Element removed from the Playing Field. Game-Specific rules listed in section 4.5.3 that address the removal of specified Scoring Elements from the Playing Field take precedence over this general game rule.

<G28> Pinning, Trapping, or Blocking Robots – A Robot may not cause an opposing Alliance Robot to become Pinned, Trapped, or Blocked. If a referee determines this rule is violated, the offending Alliance will receive a Minor Penalty for every five seconds that they are in violation. If a referee declares a Pinning, Trapping, or Blocking violation during the Match, the offending Robot must immediately move away at least 3 feet (0.9 m), approximately 1.5 Tiles, from the Pinned, Trapped, or Blocked Robot.

A *Robot* cannot incur this type of *Penalty* during the *Autonomous Period* unless it is determined by the *Referee* to be part of a deliberate strategy and will be penalized as described above. If the violation happens during the *Autonomous Period*, the first action done by the offending *Robot* during the *Driver-Controlled Period* must be to move away from the *Pinned*, *Trapped*, or *Blocked Robot* or a *Minor Penalty* will be assessed immediately and again for every five-seconds that they are in violation. Game-Specific rule(s) listed in section 4.5.3 that further define *Pinning*, *Trapping*, or *Blocking* take precedence over this general game rule.

The intent of this rule is that *Drive Teams* begin to immediately move their *Robots* away and have a five second grace period to move the required distance. The grace period is not permission to intentionally *Block/Pin/Trap* for up to five seconds.

<G29> Illegal Usage of Game Elements - Robots may not deliberately use Game Elements to ease or amplify the difficulty of any Scoring or game activity. A Major Penalty will be assessed for violations of this rule. Continued violations of this rule will quickly escalate to a Yellow Card.

<G30> Egregious Behavior – Egregious Robot or Team member behavior at the Playing Field, as determined by the referees, will result in a Major Penalty and issuance of a Yellow Card and/or Red Card. Subsequent violations will result in Team disqualification from the competition. Egregious behavior includes, but is not limited to, repeated and/or flagrant violation of game rules, unsafe behavior or actions, and uncivil behavior towards Drive Team, competition personnel, or event attendees.

## 4.5.3 Game-Specific Rules

**<GS1> General Rule Exceptions** - The following instances of gameplay are Game-specific exceptions to General Game Rules in section 4.5.2:

- a) As a part of pre-*Match Robot* placement or post-*Match Robot* retrieval, *Drive Teams* may also place or retrieve their *Team supplied Signal Sleeve* as an exception to rule <G12>.
- b) In general, a *Disabled Robot* no longer earns *Penalties* per <G7>. However, if a *Disabled Robot Blocks* access to the *Substation*, *Penalties* will continue to apply to the *Disabled Robot* per rule <GS12>.
- c) Contact with a *Cone* in a *Terminal* is allowed as an exception to rule <G6> as long as the *Cone* is not *Possessed* by the *Robot.*



<GS2> Drive Teams Touching Robots or Driver Stations after Randomization – Drive Teams are not allowed to touch or interact with their Robots or Driver Station once field personnel have begun the randomization process. If this occurs, a *Minor Penalty* will be assessed to the Alliance. The offending Robot is not eligible to earn the Signal Bonus in the Autonomous Period. The non-offending Alliance partner Robot remains eligible for the Signal Bonus Scoring achievement.

<GS3> Autonomous Interference - Robots may not Interfere with the opposing Alliance's Scoring attempts during the Autonomous Period. A Major Penalty will be assessed for each occurrence. Interactions at the centerline Junctions will not be considered Interference.

<GS4> Launched Scoring Elements - Scoring Elements may not be Launched. Each violation of this rule results in a *Minor Penalty. Rolling* or *Sliding Scoring Elements* or *Signals* is allowed.

## <GS5> Descoring -

- a) Robots may not descore opposing Alliance Scored Cones from Junctions. Each violation of this rule results in a *Minor Penalty* per Scored Cone.
- b) Robots may not descore Cones from their opposing Alliance's Terminals. Each violation of this rule results in a Major Penalty per Scored Cone.
- c) During the *End Game, Robots* may not descore *Scored Beacons* from *Junctions.* Each violation of this rule results in a *Major Penalty* per *Scored Beacon.*

Descoring, whether intentional or not, may have a severe impact on an *Alliance's* ability to complete a *Circuit*.

## <GS6> Robot Control/Possession Limits for Scoring Elements -

- a) Robots may Control or Possess a maximum of one (1) corresponding Alliance Cone and one (1) corresponding Alliance Beacon at a time. Controlling or Possessing more than the allowed quantity of Cones and/or Beacons is an immediate Minor Penalty for each Scoring Element above the limit plus an additional Minor Penalty per Scoring Element in excess of the limit for each 5-second interval that this situation continues.
- b) Robots may not Control or Possess an opposing Alliance's Cone. Each violation of this rule results in an immediate Minor Penalty plus an additional Minor Penalty per opposing Alliance Cone in excess of the limit for each 5-second interval that this situation continues. For example, knocking over the opposing Alliance's unscored stack of five (5) Cones receives five (5) Minor Penalties.
- c) Robots may not Control or Possess an opposing Alliance's Beacon. Each violation of this rule results in a Major Penalty plus an additional Minor Penalty per opposing Alliance Beacon for each 5-second interval that this situation continues.
- d) Scoring a Cone or Beacon while in Control or Possession of more than the allowed quantity of Scoring Elements will result in a Minor Penalty per Element Scored.
- e) Control/Possession limit exceptions:
  - i. Robots may temporarily Brace Scored Cones belonging to either Alliance while placing a Scoring Element onto those Cones. Braced Cones are not subject to the Control/Possession limit.
  - ii. Knocking over your own Alliance stack of unscored Cones is allowed.
  - iii. *Plowing* through any quantity of either *Alliance's Scoring Elements* is allowed. Pushing an unsecured *Cone* off of a *Junction* is considered *Plowing*.

#### <GS7> Junction and Terminal Constraints -

- a) A Cone must be placed on a *Junction* with the large opening toward the *Tile Floor* to *Score*. A Cone placed on a *Junction* in any other orientation is not *Scored* and may be removed by either *Alliance*.
- b) A Cone may be placed in the Terminal in any orientation to Score.
- c) An *Alliance's Cone* in an opposing *Alliance's Terminal* has zero (0) *Score* value and does not convey *Ownership*.
- d) A Cone or Beacon may not be added to a Junction that has been Capped. These Cones or Beacons have zero (0) Score value and do not convey Ownership.

#### <GS8> Junction and Terminal Defense -

- a) A *Robot* may not impede or obstruct an opposing *Alliance Robot* from *Scoring* a *Cone* on a *Junction* once the *Cone* is *In* the *Junction Area*. Each violation of this rule results in an immediate *Minor Penalty* and additional *Blocking Penalties* per rule <G28>.
- b) A *Robot* may not *Block* the opposing *Alliance Robot* from *Scoring* in their *Alliance's Terminal*. Each violation of this rule results in an immediate *Major Penalty* and additional *Blocking Penalties* per rule <G28>.
- c) Robots may not impede or obstruct an opposing Alliance Robot while it is attempting to Score a Beacon on a Junction. Each violation of this rule results in an immediate Major Penalty and additional Blocking Penalties per rule <G28>. Beacon Scoring protection starts once the Beacon In the Junction Area.

The intent of this rule is not to penalize opposing *Alliance Robots* from attempting to simultaneously *Score Beacons* on the same *Junction*.

## <GS9> Signal Constraints - A Signal is not a Scoring Element.

- a) Robots may Herd or Plow the Signal. Any other form of Control of the Signal is not allowed. An immediate Minor Penalty plus an additional Minor Penalty for each 5-second interval that this situation continues will be assessed to the offending Alliance. Signal damage is handled per rule <G26>. Signal Sleeve damage is discouraged, but will not be Penalized. Teams should take this into account and bring multiple Signal Sleeves to a Competition.
- b) A Signal Scores zero (0) points if Secured on a Junction or In a Terminal. Cones and Beacons may continue to be Scored in those Areas as if the Signal was not there.

<GS10> Cone Constraint – Robots may not place their own Alliance's Cone or Beacon on top of an unscored opposing Alliance's Cone or Beacon. A Minor Penalty is assessed for each affected opposing Alliance Scoring Element. Cones placed in violation of this rule may be removed without penalty. This rule does not apply to an upside-down Cone on a Low, Medium, or High Junction.

<GS11> Scoring while In a Substation - A Robot must be Completely Outside of a Substation in order to Score a Cone or Beacon. Each violation of this rule results in a Minor Penalty.

<GS12> Substation Constraints – Robots may not be *In* or *Block* access to the opposing *Alliance's* Substation. The first instance will result in a *Warning* with any following violations resulting in a *Major Penalty* and an additional *Minor Penalty* assessed for every five seconds that the rule violation persists. If the referee



declares a *Blocking* access *Warning*, the offending *Robot* must move away at least 3 feet (0.9 m), approximately 1.5 floor *Tiles* from the *Blocked Substation*. Failure to move the required 3 feet (0.9 m) within 5 seconds is considered an additional violation and will incur the *Penalties* described above. Additional occurrences of violations of this rule will escalate to *Yellow Cards* quickly.

Note: A *Disabled Robot In* a *Substation* is not considered a safety hazard, therefore *Scoring Elements* may continue to be placed. However, a *Disabled Robot In* the opposing *Alliance's Substation* remains eligible for all *Penalties* associated with <GS12> and in the case of extended violations will receive a *Yellow Card* due to the severe disruption to the ability of the owner of the *Substation* to play the game. This is an explicit exception to rule <G7>.

The intent of this rule is to allow Robot or Human Player access to their Alliance's Substation.

<GS13> Human Player Constraints – Each violation of this rule results in a Minor Penalty.

- a) Scoring Elements In the Substation Storage Area may not be handled until after the Match has begun with the exception of the Pre-Load Scoring Elements.
- b) Scoring Elements may only be introduced onto the Playing Field via the Substation.
- c) Scoring Elements may only be placed into the Substation during the Driver-Control Period.
- d) Human Players may only place Scoring Elements In the Substation that is adjacent to their corresponding Alliance Station and may not Propel them Out of the Substation.
- e) *Drive Teams* may not use tools or devices to handle a *Scoring Element*. Accommodations and exceptions for *Human Players* with disabilities or extenuating circumstances will be made at the discretion of the Tournament Director.
- f) Human Players may place only one (1) Scoring Element In a Substation at a time. There is no limit to the number of Scoring Elements that may be In the Substation at a time.
- g) A Human Player cannot break the vertical plane of the Playing Field Perimeter or hand-deliver a Scoring Element to the Playing Field when there is a Robot In the Alliance Substation.
- h) A *Robot* cannot enter the *Alliance Substation* while a *Human Player* is placing *Scoring Elements* in the *Substation*.

Note: A *Disabled Robot In* an *Alliance Substation* is not considered a safety hazard to the *Human Player*, therefore *Scoring Elements* may continue to be placed.

The intent of this rule is to prevent *Robot* to human contact and is meant to ensure *Human Player* safety.

## <GS14> Beacon Constraints -

- a) A Beacon introduced into the Playing Field prior to the start of the End Game is not eligible for Scoring.
- b) A *Robot* may *Score* at most one *Beacon* per *Match*. Each violation of this rule results in a *Major Penalty*. The additional *Beacon* is not eligible for *Scoring*.
- c) A *Beacon's* color must correspond with the *Alliance* in order to be used by that *Alliance*. If the color does not correspond, it cannot be used.

# 4.6 Scoring Summary

The following table shows the possible *Scoring* achievements and their point values. The table is a quick reference guide and not a substitute for a thorough understanding of the game manual. All achievements are *Scored at Rest.* 

Scoring Achievement	Autonomous Points	Driver- Controlled Points	End Game Points	Reference
Navigating: Robot Parked in Terminal or	2			
Substation				
Placement: Cone placed in a Terminal	1			
Placement: Cone Secured on Junction:				
Ground Junction	2			
Low Junction Medium Junction	3			
High Junction	4			
	5			
Signal: Robot Parked only on the Signal Zone that corresponds to the Signal image	10			
Signal: Robot Parked only on the two Tiles that	20			
corresponds to the team supplied Signal Sleeve				
image				
Placement: Cone Scored In Terminal		1		
Placement: Cone Secured on Junction:				
Ground Junction		2		
Low Junction		3		
Medium Junction		4		
High Junction		5		
Navigating: Robot Parked In Terminal			2	
Ownership: Junction Owned by Cone			3	
Ownership: Junction Owned by Beacon			10	
Circuit: Completed Circuit			20	



# 4.7 Rule Summary

The following table shows the possible rule violations and their consequences. The table is a quick reference guide and not a substitute for a thorough understanding of the complete rule descriptions in section 4.5.

Rule #	Rule	Consequence	Warning Disable	Minor Penalty	Major Penalty	<i>Card</i> Issued
Safety R	ules					•
<\$1>	Unsafe <i>Robot</i> or Damage to the <i>Playing Field</i> .	Disable if unsafe operation is likely to persist. Optional Yellow Card. Significant damage and/or delays may escalate to Red Card.	D*			YC* RC*
<s2></s2>	Contact Outside the Playing Field.	Immediate Yellow Card and Optional Disable unless allowed by rule.	D*			YC
<\$3>	<i>Drive Team</i> missing safety gear.	<i>Warning</i> and if not resolved within 30 seconds, the offending member(s) of the <i>Drive Team</i> must leave the <i>Competition Area</i> and may not be replaced.	W+	1x+		
General	Rules – Further defin	nitions, no <i>Penalties</i> earned				
<g1></g1>	Autonomous to Driver-Controlled Period transition					
<g2></g2>	Certifying the Score at End of the Match					
<g3></g3>	Forcing an opponent to break a rule					
<g4></g4>	Scoring Elements Controlled or Possessed are part of the Robot for Robot location					
<g5></g5>	Robot or Scoring Element in two or more Scoring					
<g6></g6>	Scoring Elements in contact with Robots	Points are not earned for any Scoring Elements in a Scoring Area in contact with Robots of the corresponding Alliance.				
<g7></g7>	Disabled Robot eligibility					
<g8></g8>	Playing Field Tolerances					
<g9></g9>	Match Replay					
<g10></g10>	Inadvertent and Inconsequential					

Rule #	Rule	Consequence	Warning Disable	Minor Penalty	Major Penalty	<i>Card</i> Issued	
General I	General Rules – Pre- <i>Match</i> and Post- <i>Match Penalties</i>						
<g11></g11>	Drive Team using disallowed electronic communication	<i>Warning</i> followed by a <i>Minor Penalty</i> .	W	1x			
<g12></g12>	Measure, test, or adjust <i>Game</i> <i>Elements.</i> <i>Playing Field</i> inspection to determine <i>Score</i>	Minor Penalty for pre-Match or post-Match violations. Major Penalty if delay start of Match. Yellow Card if outside of normal Match play.		1x	1x	YC	
<g13>e</g13>	Pre-Match Robot placement.	Minor Penalty if Teams delay the start of a Match. Major Penalty for a significant delay.		1x	1x*		
<g14></g14>	<i>Robot</i> starting volume.	Robot is removed from the Playing Field if not resolved within 30 seconds.					
<g15></g15>	Robot setup alignment devices/Match Delay.	<i>Minor Penalty</i> for each offense.		1x			
<g16>b</g16>	Drive Team member(s) leaving the Alliance Station.	<i>Warning</i> for the first instance with any following instances resulting in a <i>Minor Penalty</i> .	W	1x			
<g16>c</g16>	Drive Teams distracting and/or interfering with each other or the off-Field Scoring Elements.	Immediate <i>Major Penalty</i> and a possible Yellow Card.			1x	YC*	
<g17></g17>	Delay caused by the removal of <i>Robots</i> or damage to the <i>Playing Field</i> and <i>Game Elements</i> from <i>Robots</i> .	A <i>Minor Penalty</i> will be assessed.		1x			
General I	Rules – Gameplay Po			E Contraction of the second seco	E Contraction of the second		
<g18></g18>	Starting Gameplay Early.	Minor Penalty with the option of a Major Penalty if the early start results in a competitive advantage for the offending Alliance.		1x	1x*		



Rule #	Rule	Consequence	Warning Disable	Minor Penalty	Major Penalty	<i>Card</i> Issued
<g19></g19>	Late Start of the Autonomous Period.	<i>Minor Penalty</i> with the option of a <i>Major Penalty</i> if the late start results in a competitive advantage for the offending <i>Alliance</i> .		1x	1x*	
<g20></g20>	<i>Robot</i> is not <i>Parked</i> at the end of period.	<i>Minor Penalty</i> and the actions of the <i>Robot</i> that occur after the end of gameplay do not count towards their <i>Alliance's</i> <i>Score. Major Penalty</i> if the late stop results in a competitive advantage for the offending <i>Alliance</i> .		1x	1x*	
<g21></g21>	Robot control during Autonomous Period / Early stopping of the Autonomous code.	<i>Major Penalty.</i> Achievements earned during that time result in zero <i>Score</i>			1x	
<g22></g22>	Drive Team contact with the Playing Field, Game Element, or Robot.	Warning for the first instance with any following instances resulting in a <i>Minor Penalty</i> . Optional <i>Yellow Card</i> if contact affects <i>Scoring</i> and/or gameplay.	W	1x		YC*
<g23></g23>	Drive Team Coach Driver Station control.	<i>Warning</i> for the first instance with any following instances resulting in a <i>Major Penalty.</i>	W		1x	
<g24></g24>	Robots deliberately detaching parts.	Minor Penalty. Major Penalty and a Yellow Card if it affects gameplay.		1x	1x	YC
<g25></g25>	Robots illegally grasping Game Elements.	Warning for the first instance with any following instances resulting in a Major Penalty.	W		1x	
<g26></g26>	Destruction, damage, tipping, etc.	Deliberate or chronic violations of this rule will receive a <i>Major Penalty</i> and a <i>Yellow Card</i> .			1x	YC
<g27></g27>	Deliberately removing <i>Game</i> <i>Elements</i> from the <i>Playing Field</i> .	Minor Penalty per Game Element deliberately removed from the Playing Field.		1x		
<g28></g28>	Pinning, Trapping, or Blocking for more than 5-seconds in the Driver- Controlled Period.	<i>Minor Penalty</i> for every five seconds the <i>Robot</i> violates this rule.		1x+		

Rule #	Rule	Consequence	Warning Disable	Minor Penalty	Major Penalty	<i>Card</i> Issued
<g29></g29>	Illegal Use of Game Elements to ease or amplify Scoring.	Major Penalty will be assessed with any following instances resulting in a Yellow Card.			1x	YC
<g30></g30>	Egregious behavior.	Major Penalty plus a Yellow and/or Red Card. Possible Match Disqualification. Subsequent violations result in Team Disqualification for the competition.			1x	YC RC DQ
Game-Sp	ecific Rules – Game	play Penalties	1			
<g\$2></g\$2>	Touching controller after <i>Randomization</i>	<i>Minor Penalty</i> for each offense. <i>Team</i> does not earn <i>Autonomous Bonus</i>		1x+		
<g\$3></g\$3>	Interfering with opposing Alliance's Scoring during Autonomous Period	<i>Major Penalty</i> for each offense			1x	
<g\$4></g\$4>	Launched Scoring Elements	<i>Minor Penalty</i> for each offense		1x		
<gs5>a</gs5>	Descoring Opposing Cones from Junctions	Minor Penalty per Scoring Element		1x		
<gs5>b</gs5>	Descoring Cones from opposing Alliance Terminal	Major Penalty per Scoring Element			1x	
<gs5>c</gs5>	Descoring <i>Beacons</i> from <i>Junctions</i>	Major Penalty per Scoring Element			1x	
<gs6>a</gs6>	Possession of more than the allowed quantity of elements	Immediate <i>Minor Penalty</i> for each offense plus additional <i>Minor Penalty</i> every 5 seconds		1x+		
<gs6>b</gs6>	Controlling opposing Alliance's Cone	Immediate <i>Minor Penalty</i> for each offense plus additional <i>Minor Penalty</i> every 5 seconds		1x+		
<gs6>c</gs6>	Controlling opposing Alliance's Beacon	Major Penalty per Element Scored plus additional Minor Penalty every 5 seconds		1x+	1x	



Rule #	Rule	Consequence	Warning Disable	Minor Penalty	Major Penalty	<i>Card</i> Issued
<gs6>d</gs6>	Scoring while in Possession of excess quantity	Immediate Minor Penalty per Element Scored		1x		
<gs7>a</gs7>	<i>Cone</i> placed on a <i>Junction</i> in any orientation that is not <i>Secured</i>	Cone does not Score				
<gs7>c</gs7>	Cone in opposing Alliance Terminal	Cone does not Score				
<gs7>d</gs7>	Cone or Beacon added to Junction with Beacon placed	Does not Score and no change in Ownership				
<gs8>a</gs8>	Robot may not impede or obstruct a Robot from Scoring a Cone on a Junction	<i>Minor Penalty</i> for each offense plus other <i>Blocking</i> <i>Penalties</i> per <g28></g28>		1x+		
<gs8>b</gs8>	Robot may not Block a Robot from Scoring a Cone In Terminal	<i>Major Penalty</i> for each offense plus other <i>Blocking</i> <i>Penalties</i> per <g28></g28>			1x+	
<gs8>c</gs8>	Robot may not impede or obstruct a Robot from Scoring a Beacon on a Junction	<i>Major Penalty</i> for each offense plus other <i>Blocking</i> <i>Penalties</i> per <g28></g28>			1x	
<gs9>a</gs9>	Robots Controlling a Signal	Immediate Minor Penalty plus additional Minor Penalty every 5 seconds		1x+		
<gs9>b</gs9>	Signal placed On Junction	Signal Cone does not Score				
<gs10></gs10>	Placing Cone or Beacon on opposing Alliance unscored Cone or Beacon	<i>Minor Penalty</i> for each affected <i>Scoring Element</i>		1x		
<gs11></gs11>	Scoring from Inside Substation	<i>Minor Penalty</i> for each offense.		1x		

Rule #	Rule	Consequence	Warning Disable	Minor Penalty	Major Penalty	<i>Card</i> Issued
<gs12></gs12>	Robots may not be In or Block opposing Substation	<i>Warning</i> for first instance, then <i>Major</i> and a <i>Minor</i> for every additional 5 seconds.	W	1x+	1x	
<gs13>a</gs13>	Scoring Elements in Substation Storage may not be handled until start of Match	<i>Minor Penalty</i> for each offense		1x		
<gs13>b</gs13>	Cones/Beacons may only be introduced into the Substation	<i>Minor Penalty</i> for each offense		1x		
<gs13>c</gs13>	Human Players placing Scoring Elements before start of Driver- Controlled Period	<i>Minor Penalty</i> for each offense		1x		
<gs13>d</gs13>	Human Players may only place Cones/Beacons in Substation and may not Propel them	<i>Minor Penalty</i> for each offense		1x		
<gs13>e</gs13>	Using tools to place Cone or Beacon	<i>Minor Penalty</i> for each offense		1x		
<gs13>f</gs13>	Placing more than one Cone/Beacon in Substation	Minor Penalty for each offense		1x		
<gs13>g</gs13>	Human Player cannot break the vertical plane of the Playing Field Perimeter while a Robot is in the Substation	<i>Minor Penalty</i> for each offense		1x		
<gs13>h</gs13>	Robot enters Substation while Human Player is In the Substation	<i>Minor Penalty</i> for each offense		1x		



Rule #	Rule	Consequence	Warning Disable	Minor Penalty	Major Penalty	<i>Card</i> Issued
<gs14>a</gs14>	<i>Beacon</i> introduced prior to <i>End Game</i>	No Capping points or Ownership				
<gs14>b</gs14>	Robot scores more than one Beacon	Major Penalty and No Capping points or Ownership for second Beacon			1x	
<gs14>c</gs14>	Beacon must correspond with Alliance color	No Capping points or Ownership				

Table Key	
W: Warning	1x: Penalty at single cost
D: Robot Disabled	1x+: Penalty at single cost every 5 seconds
YC: Yellow Card issued	2x: Penalty at double cost
RC: Red Card issued	* Indicates optional
DQ: Disqualification	

# Appendix A – Resources

# Game Forum Q&A

https://ftc-qa.firstinspires.org/

Anyone may view questions and answers within the *FIRST*<sup>®</sup> Tech Challenge game Q&A forum without a password. To submit a new question, you must have a unique Q&A system user name and password for your team.

#### Volunteer Forum

Volunteers can request access to role specific volunteer forums by emailing <u>FTCTrainingSupport@firstinspires.org.</u> You will receive access to the forum thread specific to your role.

#### FIRST Tech Challenge Game Manuals

Part 1 and 2 - https://www.firstinspires.org/resource-library/ftc/game-and-season-info

#### FIRST Headquarters Pre-Event Support

Phone: 603-666-3906 Mon – Fri 8:30am – 5:00pm Email: <u>Firsttechchallenge@firstinspires.org</u>

#### FIRST Websites

FIRST homepage - www.firstinspires.org

<u>FIRST Tech Challenge Page</u> – For everything *FIRST* Tech Challenge.

FIRST Tech Challenge Volunteer Resources – To access public volunteer manuals.

<u>FIRST Tech Challenge Event Schedule</u> – Find FIRST Tech Challenge events in your area.

#### FIRST Tech Challenge Social Media

<u>FIRST Tech Challenge Twitter Feed</u> - If you are on Twitter, follow the *FIRST* Tech Challenge Twitter feed for news updates.

<u>FIRST Tech Challenge Facebook page</u> - If you are on Facebook, follow the *FIRST* Tech Challenge page for news updates.

<u>FIRST Tech Challenge YouTube Channel</u> – Contains training videos, game animations, news clips, and more.

<u>FIRST Tech Challenge Blog</u> – Weekly articles for the *FIRST* Tech Challenge community, including outstanding volunteer recognition!


<u>FIRST Tech Challenge Team Email Blasts</u> – contain the most recent FIRST Tech Challenge news for teams.

#### Feedback


We strive to create support materials that are the best they can be. If you have feedback about this manual, please email <u>firsttechchallenge@firstinspires.org</u>. Thank you!








**B-1** Tile Locations




**B-2** Junction Locations




# Appendix C – Playing Field Details




C-1 Terminal, Typical




C-2 Substation, Typical




C-3 Junction Spacing, Typical




**C-4** Ground Junction




C-5 Low, Medium, High Junctions




C-6 Junction Locations









C-8 Junction Area



C-9 Red Signal tape locations




C-10 Blue Signal tape locations






# Appendix D – Scoring Element




D-1 Cone, Approximate Dimensions


## Appendix E – Randomization



E-1 – Signal




E-2 – Signal Patterns




E-3 - Signal Zone Locations


Red Robots start in F2 and F5, Blue Robots start in A2 and A5












E-5 – *Team* Supplied *Signal Sleeve* Template


E-6 – *Team* Supplied *Signal Sleeve* Template on a *Signal* 




E-7 – Template for Team supplied Signal Sleeve

The *Signal Sleeve* template and instructions are located at <u>https://www.firstinspires.org/resource-library/ftc/game-and-season-info</u>.

## Appendix F – Scoring Examples





#### F-1 Allowable Junction and Terminal Connections




F-2








F-5




F-6













F-10






F-12

F-13




F-13




























F-24 Circuit Example



#### Appendix G – Navigation Images



Image B6 Blue Alliance Rear Wall



Image E6 Red Alliance Rear Wall



Image B1 Blue Alliance Audience Wall



Image E1 Red Alliance Audience Wall

Images are labeled corresponding to the centers of the tile nomenclature listed in Appendix B, figure B-1.

Image B1 – The center of the image is on the *Playing Field Wall* closest to the *Audience* and is aligned to the center of the second *Tile* in from the blue *Alliance Station*.

Image B6 – The center of the image is on the *Playing Field Wall* opposite of Image B1 and is aligned to the center of the second *Tile* in from the blue *Alliance Station*.

Image E1 – The center of the image is on the *Playing Field Wall* closest to the *Audience* and is aligned to the center of the second *Tile* in from the red *Alliance Station*.

Image E6 – The center of the image is on the *Playing Field Wall* opposite of Image E1 and is aligned to the center of the second *Tile* in from the red *Alliance Station*.

Do not print the images from this manual for practice purposes, as they are not to the same scale as *Teams* will see in actual competition. Please refer to the <u>website</u> for printable versions of these images.